

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

BTF3L4, 1-78aa Human, His tag, E.coli

Cat.NO.: TP01375

3th Edition

Synonyms: Transcription factor BTF3 homolog 4 isoform 3, Basic transcription factor 3-like 4

**Description:**BTF3L4 belongs to the NAC-beta family and contains 1 NAC-A/B (NAC-alpha/beta) domain. Recombinant human BTF3L4 protein isoform 3, fused to His-tag at N-terminus, was expressed in E.coli .

Form:Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 10% glycerol, 0.4M Urea

Molecular Weight: 11.3 kDa (101aa)

## Sequences:

MGSSHHHHHHSSGLVPRGSHMGSMNQEKLAKLQAQVRIGGKGTARRKKKVVHRTATADDKKLQSSLKKLAVNNI AGIEESWTVKHQNQKTLMRKMMMFQIL

Purity:> 95% by HPLC

Concentration: 1.0 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1