

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

CCNG1, 1-295aa, Human, His tag, E.coli

Cat.NO.: TP01475

3th Edition

Synonyms: Cyclin-G1, CCNG, CYCG1.

Description:CCNG1, also known as cyclin-G1, is a member of the cyclin family and contains the cyclin box. It may play a role in growth regulation and be associated with G2/M phase arrest in response to DNA damage. It may be an intermediate by which p53 mediates its role as an inhibitor of cellular proliferation.

Form:Liquid. 20mM Tris-HCl buffer (pH8.0) containing 50% glycerol, 0.2M NaCl, 5mM DTT

Molecular Weight: 36.2 kDa (315aa) confirmed by MALDI-TOF

Sequences:

MGSSHHHHHHSSGLVPRGSHMIEVLTTTDSQKLLHQLNALLEQESRCQPKVCGLRLIESAHDNGLRMTARLRDFE VKDLLSLTQFFGFDTETFSLAVNLLDRFLSKMKVQPKHLGCVGLSCFYLAVKSIEEERNVPLATDLIRISQYRFTVSDL MRMEKIVLEKVCWKVKATTAFQFLQLYYSLLQENLPLERRNSINFERLEAQLKACHCRIIFSKAKPSVLALSIIALEIQA QKCVELTEGIECLQKHSKINGRDLTFWQELVSKCLTEYSSNKCSKPNVQKLKWIVSGRTARQLKHSYYRITHLPTIP EMVP

Purity:> 95% by HPLC

Concentration: 0.25 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1