

CFL2, 1-166aa, Human, His tag, E.coli

Cat.NO.: TP01593

3th Edition

Synonyms:Cofilin-2, NEM7.

Description:CFL2 protein belongs to the actin-binding proteins ADF family that contains 1 ADF-H domain. Cofilin is a widely distributed intracellular actin-modulating protein that binds and depolymerizes filamentous F-actin and inhibits the polymerization of monomeric G-actin in a pH-dependent manner.

Form:Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 2mM DTT, 10% glycerol, 50mM NaCl

Molecular Weight:20.9kDa (186aa), confirmed by MALDI-TOF

Sequences:

MGSSHHHHHHSSGLVPRGSHMASGVTVNDEVIKVFNDMKVRKSSTQEEIKKRKKAVLFCLSDDKRQIIVEEAKQILV
GDIGDTVEDPYTSFVKLLPLNDCRYALYDATYETKESKKEDLVFIFWAPESAPLKSKMIYASSKDAIKKKFTGIKHEW
QVNGLDDIKDRSTLGEKLGGNVVVSLEGKPL

Purity:> 95% by HPLC

Concentration:1mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.