

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Recombinant Human TRAIL R3/TNFRSF10C/CD263 Protein(C-6His)

Cat.NO.: TP04604

3th Edition

Synonyms:Tumor Necrosis Factor Receptor Superfamily Member 10C; Antagonist Decoy Receptor for TRAIL/Apo-2L; Decoy TRAIL Receptor Without Death Domain; Decoy Receptor 1; DcR1; Lymphocyte Inhibitor of TRAIL; TNF-Related Apoptosis-Inducing Ligand Receptor 3; TRAIL Receptor 3; TRAIL-R3; TRAIL Receptor Without an Intracellular Domain; CD263; TNFRSF10C; DCR1; LIT; TRAILR3; TRID

Description:Tumor Necrosis Factor Receptor Superfamily Member 10C (TNFRSF10C) is a glycosylphosphatidylinositol-linked membrane protein which binds TRAIL with high affinity. TNFRSF10C has the TRAIL-binding extracellular cysteine-rich domains, lacks the intracellular signaling domain. As a result, binding of TRAIL to TRAIL R3 doesn't transduce an apoptosis signal. The expression of TRAIL R3 gene has been shown to protect cells bearing TRAIL R1 and/or TRAIL R2 from TRAIL-induced apoptosis.

Form:PBS

Molecular Weight:21.8 kDa

Sequences: Ala26-Ala221

Purity:> 95% by HPLC

Concentration:

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1 / 1