

Recombinant Human Peroxiredoxin-1/PRDX1 Protein(N, C-6His)

Cat.NO.: TP04658

3th Edition

Synonyms: Peroxiredoxin-1; Natural killer cell-enhancing factor A; NKEF-A; Proliferation-associated gene protein; PAG; Thioredoxin peroxidase 2; Thioredoxin-dependent peroxide reductase 2; PAGA; PAGB; TDPX2

Description: Peroxiredoxin-1 (PRDX1) contains 1 thioredoxin domain and belongs to the AhpC/TSA family. PRDX1 constitutively expressed in most human cells and it is induced to higher levels upon serum stimulation in untransformed and transformed cells. PRDX1 is involved in redox regulation of the cell. It reduces peroxides with reducing equivalents provided through the thioredoxin system but not from glutaredoxin and play an important role in eliminating peroxides generated during metabolism. PRDX1 might participate in the signaling cascades of growth factors and tumor necrosis factor-alpha by regulating the intracellular concentrations of H₂O₂. It reduces an intramolecular disulfide bond in GDPD5 that gates the ability to GDPD5 to drive postmitotic motor neuron differentiation. It may contribute to the antiviral activity of CD8(+) T-cells and have a proliferative effect in cancer development or progression.

Form: PBS

Molecular Weight: 25.3 kDa

Sequences: Met 1-Lys199

Purity: > 95% by HPLC

Concentration:

Endotoxin Level: <1.0 EU per 1 ug of protein (determined by LAL method)

Storage: Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.