

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Recombinant Mouse Follistatin-Like 1/FSTL1 Protein(C-Fc)

Cat.NO.: TP04823

3th Edition

Synonyms: Follistatin-related protein 1; Follistatin-like protein 1; TGF-beta-inducible protein TSC-36; Fstl1

Description:Follistatin-like 1 (FSTL1) is a secreted glycoprotein that has been grouped into the follistatin family of proteins. FSTL1 is composed of a follistatin domain and two non-functional calcium-binding motifs. It was originally cloned as a TGF?1 inducible factor but subsequently shown to regulate diverse developmental pathways and tissue homeostasis. Ablation of the FSTL1 gene in the mouse results in several structural developmental defects and neonatal lethality due to respiratory failure. FSTL1 suppresses BMP signaling, but the precise mechanism of its action has not been elucidated. FSTL1 is expressed in the human placenta, mainly in extravillous trophoblasts.

Form:PBS

Molecular Weight: 59.6 kDa

Sequences: Glu19-Ile306

Purity:> 95% by HPLC

Concentration:

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1