

**Recombinant Human SLAM Family Member 6/SLAMF6/CD352/NTB-A Protein(C-Fc)**

**Cat.NO.: TP04966**

3th Edition

**Synonyms:**SLAM family member 6; Activating NK receptor; NK-T-B-antigen; NTB-A; CD352; SLAMF6; KALI

**Description:**SLAM Family Member 6 (SLAMF6) is a single-pass type I membrane protein that belongs to the SLAM subgroup of the CD2 family. Human SLAMF6/ NTB-A contains a 205 amino acid extracellular domain (ECD) with one Ig-like V-set and one Ig-like C2-set domain, a 21 amino acid transmembrane segment and an 84 amino acid cytoplasmic domain, with two immunoreceptor tyrosine-based switch motifs. SLAMF6 is a homodimer. SLAMF6 can interact with PTN6 and, upon phosphorylation, with PTN11 and SH2D1A/SAP. Phosphorylation-dependent NTB-A association with SAP is required for full production of IFN- $\gamma$  by NK cells and independent of EAT-2 binding. It Triggers cytolytic activity only in natural killer cells (NK) expressing high surface densities of natural cytotoxicity receptors. On B cells, NTB-A modulates immunoglobulin class switching and the balance between tolerance and autoimmunity.

**Form:**PBS

**Molecular Weight:**49.6 kDa

**Sequences:**Gln22-Lys225

**Purity:**> 95% by HPLC

**Concentration:**

**Endotoxin Level:**<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.