

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

## Recombinant Human DPP10 / DPRP3 Protein (His tag)

Cat.NO.: TP06367

3th Edition

Synonyms:DPL2;DPPY;DPRP-3;DPRP3

Description:Inactive dipeptidyl peptidase 10, also known as Dipeptidyl peptidase IV-related protein 3, Dipeptidyl peptidase X, Dipeptidyl peptidase-like protein 2, DPRP-3, DPL2 and DPP10, is a single-pass type I I membrane protein which belongs to the peptidase S9B family. DPPIV subfamily. It may modulate cell surface expression and activity of the potassium channels KCND1 and KCND2. DPP10 / DPRP3 has no detectable protease activity, most likely due to the absence of the conserved serine residue normally present in the catalytic domain of serine proteases. However, it does bind specific voltage-gated potassium channels and alters their expression and biophysical properties. Genetic variations in DPP10 are associated with susceptibility to asthma (ASTHMA). The most common chronic disease affecting children and young adults. It is a complex genetic disorder with a heterogeneous phenotype, largely attributed to the interactions among many genes and between these genes and the environment. It is characterized by recurrent attacks of paroxysmal dyspnea, with weezing due to spasmodic contraction of the bronchi.

Form:PBS

Molecular Weight:87.4 kDa

Sequences:Leu 56-Glu 796

Purity:> 95% by HPLC

**Concentration:** 

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1