

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

## Recombinant Human DOT1L / KMT4 Protein

Cat.NO.: TP06500

3th Edition

Synonyms:DOT1;KMT4

**Description**:Histone-lysine N-methyltransferase, H3 lysine-79 specific, also known as Histone H3-K79 methyltransferase, DOT1-like protein, Lysine N-methyltransferase 4 and DOT1L, is a nucleus protein which belongs to the DOT1 family. In contrast to other lysine histone methyltransferase, DOT1L does not contain a SET domain, suggesting the existence of another mechanism for methylation of lysine residues of histones. DOT1L is an histone methyltransferase. It methylates 'Lys-79' of histone H3. Nucleosomes are preferred as substrate compared to free histones. DOT1L binds to DNA. Methylation of lysine 79 on histone H3 (H3K79) is mediated by DOT1L. It is involved in the regulation of telomeric silencing, development, cell cycle checkpoint and transcription. Mass spectrometry of the DOT1L-containing complex revealed that AF9, ENL and NPM1 were shown to be major DOT1L-interacting proteins. DOT1L might control AF9- and ENL-mediated transcription, regulate RNA processing, and function as a histone chaperone in a NPM1-dependent manner.

Form:PBS

Molecular Weight: 47.6 kDa

Sequences: Gly 2-Lys 416

Purity:> 95% by HPLC

**Concentration:** 

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1