

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Recombinant Human CDK2AP2 Protein (His tag)

Cat.NO.: TP06969

3th Edition

Synonyms:DOC-1R;p14

Description:CDK2AP2 belongs to the CDK2AP family. Members of this family of proteins are cell-growth suppressors, associating with and influencing the biological activities of important cell cycle regulators in the S phase including monomeric non-phosphorylated cyclin-dependent kinase 2 (CDK2) and DNA polymerase alpha/primase. CDK2AP2 contains 5 distinct gt-ag introns. Transcription produces 7 different mRNAs, 6 alternatively spliced variants and 1 unspliced form. There are 2 non overlapping alternative last exons and 4 validated alternative polyadenylation sites. The mRNAs appear to differ splicing versus retention of 3 introns. CDK2AP2 plays a role in regulating self-renewal of mouse embryonic stem cells (mESC) under permissive conditions, and cell survival during differentiation of the mESC into terminally differentiated cell types.

Form:PBS

Molecular Weight: 14.5 kDa

Sequences: Met 1-Thr 126

Purity:> 95% by HPLC

Concentration:

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1